

## **IN THE CLAIMS**

This listing of the claim will replace all prior versions and listings of claim in the present application.

### **Listing of Claims**

Claims 1-18 (canceled).

19. (currently amended) A storage system comprising:

a plurality of clusters; and

a communication path which connects each of the clusters,

wherein each cluster comprises:

a disk controller, and

a plurality of disk drives,

wherein the disk controller of each cluster comprises:

a disk interface which connects to the disk drives of the cluster,

a cache memory, and

a control memory,

wherein, when a first disk controller of a first cluster receives from a host

computer a each write request which requests writing of updated data for updating data stored in disk drives of s a second disk controller of a second cluster, the first disk controller checks whether data to be updated by the updated data is stored in the cache memory of the second disk controller, and if the data to be updated is not stored in the cache memory of the second disk controller, the first disk controller always sends the write request to the second disk controller via the communication

path without regard to data stored in said cache memory of said first disk controller,  
and

wherein, in response to the write request from the first disk controller and when the data to be updated is not stored in the cache memory of the second disk controller, the second disk controller updates the data to be updated which is stored in the disk drives of the second disk controller by writing the updated data in the disk drives of the second disk controller via the disk interface based on the write request.

20. (previously presented) A storage system according to claim 19, wherein when the data to be updated is stored in the cache memory of the second disk controller, the second disk controller updates the data to be updated which is stored in the cache memory of the second disk controller by writing the updated data in the cache memory of the second disk controller based on the write request.

21. (previously presented) A storage system according to claim 20, wherein each control memory of the clusters stores a cache directory to identify the disk controller having a disk drive which stores data stored in cache memory.

22. (previously presented) A storage system according to claim 21, wherein said first disk controller receives a completed report indicating completion of the writing of updated data from said second disk controller, and thereafter sends the completed report to said host computer.

23. (previously presented) A storage system according to claim 22, wherein said second disk controller inhibits access to the data to be updated which is the object of said write request until said first disk controller sends the completed report to the host computer.